



CARTED V-RAKE

MAXIMUS RAKE

ENG

MAXIMUS RAKE

/ Carted V-Rake



The new MAXIMUS RAKE M12-M14 has been designed to match customer's high needs. It is available in 2 sizes: 12 and 14 rake wheels. Both versions feature independent rake wheels arms using a unique double rod spring system to maintain constant pressure of rake wheels to the ground. Hydraulic opening/closing system.

The heavy duty frame, and wide space between wheels and tires allow customers to use this machine in heavy conditions.

The hydraulic working width device allows the operator to carry this operation out directly from the tractor cabin.

OPTIONS: kicker wheel kit, wind guards, conversion kit to make 12 into 14, road light kit.




Tandem axles standard on both models.










Kicker wheel kit.



Hydraulic valves standard to operate one side.



Independent rake wheel arms.

 Model	 Working width	 Transport width	 Transport length	 Transport tyres	 HP	 Weight
M 12	740 cm. 24 ft.	290 cm. 9.5 ft.	690 cm. 22.6 ft.	205/70-15	40 HP	1290 Kg. 2,843 Lbs.
M 14	830 cm. 27 ft.	290 cm. 9.5 ft.	690 cm. 22.6 ft.	205/70-15	40 HP	1400 Kg. 3,086 Lbs.

Options
Kicker wheel kit
Wind guards
Conversion kit to make 12 into 14
Road light kit



Dreaming with us

Enorossi si riserva il diritto di variare in ogni momento e senza preavviso caratteristiche e specifiche tecniche. / Design and/or specifications are subject to change without notification. / Enorossi se reserva el derecho a modificar en cualquier momento y sin previo aviso las características y especificaciones técnicas.



AGRICULTURAL MACHINERY
enorossi
 Dreaming with us



Your Enorossi Dealer

Via Cortonese, 36 - 06018 Calzolaro di Umbertide (PG) - ITALY
 ☎ +39 075 930 22 22 - 📠 +39 075 930 23 28
 info@enorossi.it - www.enorossi.it